



# d<sup>2</sup> Dura Grating 26mm Standard Mesh

Environmental Product Declaration | Type: Self-Declared



This covers all variants of d<sup>2</sup> Dura Grating 26mm Standard Mesh.


This is an ISO 14021 Type II EPD generated from a Life Cycle Assessment (LCA) performed using One Click LCA.

The results are a variant of a fully verified and published parent EPD and follow the Product Category Rules of EPD Hub Core PCR Version 1.2 (24 March 2025) and EN 15804+A2.

## Global Warming Potential (GWP)

The GWP quantifies a product's contribution towards global warming and is sometimes referred to as its carbon footprint or embodied carbon.

Declared Unit		Mass of Declared Unit		GWP Total A1-A3		GWP Fossil A1-A3	
1	m <sup>2</sup>	10.3	kg	36.2	kg CO <sub>2</sub> e	36.2	kg CO <sub>2</sub> e



## Product Information

<b>Product Name</b>	d <sup>2</sup> Dura Grating 26mm Standard Mesh
<b>Product Description</b>	<p>d<sup>2</sup> Dura Grating Standard Mesh is a high-performance collection of Glass Reinforced Polymer (GRP) moulded grating panels, offering versatility for a wide range of applications. Compared to traditional GRP grating, d<sup>2</sup> Dura Grating is up to 33% lighter, reducing material consumption and lowering CO<sub>2</sub> impact. Its lightweight nature facilitates easier handling and faster installation, enhancing cost efficiency. Engineered for exceptional structural performance, it provides high load-bearing capacity with optimised material usage, ensuring long-term durability and safety.</p> <p>This EPD covers d<sup>2</sup> Dura Grating Standard Mesh 26mm which is available in sizes 3043x993mm and 3699x1239mm. These panels are available in Dark Grey, Yellow, and Green - this EPD covers all size and colour variants for the Standard Mesh 26mm panels. The mass used for these panels is 10.3kg/m<sup>2</sup>.</p>
<b>Manufacturer</b>	Dura Composites Ltd
<b>Address</b>	Dura House, Telford Road, Clacton-On-Sea, Essex, UK, CO15 4LP
<b>About The Manufacturer</b>	Dura Composites designs low-carbon GRP and aluminium walkway systems through its award-winning d <sup>2</sup> range. Serving industrial, rail, marine and architectural sectors, our products combine structural integrity with verified sustainability. Backed by three King's Awards for Enterprise, EPDs, fire compliance and Scope 3 data, Dura is globally recognised for innovation and trusted delivery.
<b>Parent EPD Number</b>	HUB-3303
<b>Place of Production</b>	China, UK
<b>Period for Data</b>	2024


## System Boundary

The LCA for this product has been performed for the following system boundary, the results for A1-A3 are provided in this EPD.

PRODUCT STAGE			CONSTRUCTION		USE STAGE							END OF LIFE STAGE				BEYOND THE SYSTEM BOUNDARY
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
X	X	X	X	MND	Modules Not Declared							X	X	X	X	X
Raw Materials	Transport To Site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational Energy	Operational Water	Deconstruction	Transport	Waste Processing	Disposal	Reuse, Recovery & Recycling

## Scope of Assessment

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3). The yellow highlights indicate the stages Dura Composites is involved in throughout the journey of the product.



## Parent EPDs

The parent EPD used to generate this product variant has been third-party verified through EPD Hub. To access our independently verified EPDs, scan the QR code or visit [www.duracomposites.com/epd-reports](http://www.duracomposites.com/epd-reports).

